



## MPI insert





MPI is an insert system for the installation of all types of components, switches, and fuse switches as well as MCCBs and motor starters.


As always, when you use CUBIC, the system is fully flexible for all types of components. An almost 100% component adjustment is possible, as the system is available in various


combinations, widths, heights, and depths.

MPI is a well-documented insert system with extreme functionality and high safety for personnel. The system has been constructed in order to obtain a very rational workshop fitting is obtained, and the end product is thus an extremely competitive solution.

# CUBIC

Insert/size			Mounting plate - size				
Depth	Width	Height	Width	Height			
	2M	1M	298 mm	190 mm	X	X	
	2M	1.5M	298 mm	286 mm	X	X	
	2M	2M	298 mm	382 mm	X	X	X
	2M	3M	298 mm	574 mm	X	X	X
	2M	4M	298 mm	766 mm		X	
	3M	1M	490 mm	190 mm	X	X	
	3M	1.5M	490 mm	286 mm	X	X	
	3M	2M	490 mm	382 mm	X	X	
	3M	3M	490 mm	574 mm	X	X	X
	3M	4M	490 mm	766 mm		X	X
	4M	1M	682 mm	190 mm		X	
	4M	2M	682 mm	382 mm	X	X	
	4M	3M	682 mm	574 mm	X	X	
	4M	4M	682 mm	766 mm		X	

	2M	1M	298 mm	190 mm	X	X	
	2M	1.5M	298 mm	286 mm	X	X	
	2M	2M	298 mm	382 mm	X	X	X
	2M	3M	298 mm	574 mm	X	X	X
	2M	4M	298 mm	766 mm		X	
	3M	1M	490 mm	190 mm	X	X	
	3M	1.5M	490 mm	286 mm	X	X	
	3M	2M	490 mm	382 mm	X	X	
	3M	3M	490 mm	574 mm	X	X	X
	3M	4M	490 mm	766 mm		X	X
	4M	1M	682 mm	190 mm		X	
	4M	2M	682 mm	382 mm	X	X	
	4M	3M	682 mm	574 mm	X	X	
	4M	4M	682 mm	766 mm		X	

	2M	1.5M	298 mm	286 mm	X	X	
	2M	2M	298 mm	382 mm	X	X	X
	2M	3M	298 mm	574 mm	X	X	X
	3M	1.5M	490 mm	286 mm	X	X	
	3M	2M	490 mm	382 mm	X	X	
	3M	3M	490 mm	574 mm	X	X	X
	4M	2M	682 mm	382 mm	X	X	
	4M	3M	682 mm	574 mm	X	X	

## MPI insert

The MPI insert is available in 36 sizes. Various mounting plates are available, of these 28 with cuts for busbar connections.

The insert is available in three depths; a mounting bracket provides the possibility of placing the mounting plate in many different depths in steps of 8 mm.

The operation of the fitted components can take place through one big door, with front coverings if necessary, or through individual doors.

The MPI insert can function as busbar covering and complies with the requirements to Form 1, 2, 3, and 4, and an internal separation higher than IP3X can be obtained.

The MPI insert can be loaded with up to 50 kg.

The MPI insert meets the specified requirements in i.a. IEC/EN 60439-1, IEC/EN 60204, UL 508/845/891, and Marine

# CUBIC

## Technical data

### Material/basic treatment:

Electro-galvanized or iron-phosphated steel plate

### Surface/colour:

Powder-lacquered, colour RAL 7035

### Standards and approvals:

IEC/EN 60439-1

### Rated voltage (Ue):

Up to 1000 V; 50 Hz

### Test voltage:

Up to 3.5 kV

### Main busbar:

(horizontal busbars)

Rated current, I at 30K:

Up to 6300 Amp

Short-time withstand current, I<sub>cw</sub>:

Up to 120 kAmp

Peak withstand current, I<sub>pk</sub>:

Up to 264 kAmp

### Distribution busbar:

(vertical busbars)

Rated current, I at 30K:




Up to 1800 Amp

Short-time withstand current, I<sub>cw</sub>:

Up to 80 kAmp

Peak withstand current, I<sub>pk</sub>:

Up to 176 kAmp



# CUBIC

**Norway**  
CUBIC-Imek A/S  
Postboks 33  
Farexveien 21, Lindeberg  
N-2016 Frogner  
Tel +47 6386 7100  
Fax +47 6386 7101  
info@cubic-imek.no

**Sweden**  
CUBIC Svenska AB  
Box 353  
Hantverksgatan 5 B  
S-571 24 Nässjö  
Tel +46 (0) 380 741 70  
Fax +46 (0) 380 166 52  
info@cubicsvenska.se

**Australia**  
CUBIC Australia Pty. Ltd  
Unit 4, 15-16 Nicole Close  
Bayswater North  
Victoria 3153  
Tel. +61 3 9761 5996  
Fax +61 3 9761 5997  
info@cubicaustralia.com.au

CUBIC-Modulsystem A/S  
Skjoldborgsgade 21  
9700 Broenderslev  
Denmark  
Tel +45 9882 2400  
Fax +45 9882 3530  
E-mail: info@cubic.eu  
[www.cubic.eu](http://www.cubic.eu)

**U.K.**  
CUBIC Modular Systems  
(U.K.) Ltd  
Unit 8, Boston Court  
Kansas Avenue  
Salford M50 2GN  
Tel. +44 161 876 4742  
Fax +44 161 876 4746  
info@cubic-uk.co.uk

**Ireland**  
CUBIC-Modulsystem A/S  
Units 64 & 65  
Parkwest Enterprise Centre  
Parkwest Industrial Park  
IRL-Dublin 12  
Tel. +353 16 215 288/289  
Fax +353 16 301 452  
info@cubic.ie

**Belgium**  
CUBIC-Modulsystem A/S  
Chaussée de Namur 85A  
B-1400 Nivelles  
Tel +32 67 21 29 79  
Fax +32 67 21 35 59  
info@be.cubic.dk

**CUBIC**